



SEISMIC AND WIND FORCES

STRUCTURAL DESIGN EXAMPLES, 5TH EDITION
UPDATED TO 2018 IBC® AND ASCE/SEI 7-16

Alan Williams, Ph.D., S.E., F.I.C.E., C. Eng.



Seismic and Wind Forces: Structural Design Examples
5th Edition

ISBN: 978-1-60983-844-7

Publications Manager:	Mary Lou Luif
Project Editor:	Kathy Osmus
Typesetting:	Dedicated Book Services
Cover Design:	Duane Acoba



COPYRIGHT © 2018
by
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This publication is a copyrighted work owned by the International Code Council, Inc. ("ICC"). Without advance written permission from the ICC, no part of this publication may be reproduced, distributed or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example and not limitation, photocopying, or recording by or in an information storage and retrieval system). For information on use rights and permissions, please contact: ICC Publications, 4051 Flossmoor Road, Country Club Hills, Illinois 60478. Phone 1-888-ICC-SAFE (422-7233).

The information contained in this document is believed to be accurate; however, it is being provided for informational purposes only and is intended for use only as a guide. Publication of this document by the ICC should not be construed as the ICC engaging in or rendering engineering, legal or other professional services. Use of the information contained in this workbook should not be considered by the user as a substitute for the advice of a registered professional engineer, attorney or other professional. If such advice is required, it should be sought through the services of a registered professional engineer, licensed attorney or other professional.

Trademarks: "International Code Council," the "International Code Council" logo, "ICC," the "ICC" logo, "International Building Code," "IBC" and other names and trademarks appearing in this book are registered trademarks of the International Code Council, Inc., and/or its licensors (as applicable), and may not be used without permission.

Errata on various ICC publications may be available at www.iccsafe.org/errata.

First Printing: December 2018

PRINTED IN THE USA

TABLE OF CONTENTS

About the Author	ix
Introduction	xi
1 SEISMIC DESIGN	1
1.1 Seismic loads	4
1.2 Design procedures	7
1.3 Site classification characteristics	8
1.4 Earthquake response spectra	9
1.4.1 General procedure	11
1.4.2 Site-specific procedure	11
1.5 Site coefficient	13
1.6 Adjusted maximum considered earthquake spectral response accelerations	15
1.7 Fundamental period of vibration of the structure	16
1.7.1 General approximate method	17
1.7.2 Approximate method for moment-resisting frames	18
1.7.3 Rational analysis method	19
1.8 Design spectral response acceleration parameters	21
1.9 Risk categories and importance factors	26
1.10 Seismic design category	27
1.10.1 Seismic design category A	28
1.10.2 Seismic design category B	30
1.10.3 Seismic design category C	30
1.10.4 Seismic design category D	31
1.10.5 Seismic design category E	31
1.10.6 Seismic design category F	31
1.11 Lateral-force-resisting systems	33
1.11.1 Bearing wall systems	34
1.11.2 Building frame system	36
1.11.3 Moment-resisting frames	38
1.11.4 Dual systems with special moment frames	38
1.11.5 Dual systems with intermediate moment frames	39
1.11.6 Shear wall-frame interactive system with ordinary reinforced concrete moment frames and ordinary reinforced concrete shear walls	40
1.11.7 Cantilever column systems	40
1.11.8 Steel systems not specifically detailed for seismic resistance, excluding cantilever column systems	41
1.11.9 Wind effects	42
1.12 Response modification coefficient	42
1.12.1 Seismic-force-resisting system	42
1.12.2 Combinations of seismic-force-resisting systems	45
1.13 Overstrength factor	49
1.14 Deflection amplification factor	50
1.15 Effective seismic weight	50
1.16 Seismic response coefficient	52
1.17 Seismic base shear	54
1.18 Simplified lateral force procedures	55
1.19 Vertical distribution of seismic forces	60
1.20 Simplified vertical distribution of base shear	63
1.21 Vertical seismic load effects	64
1.21.1 Overturning	65
1.21.2 Foundation design	68
1.21.3 Optional vertical seismic load effect	69
1.22 Diaphragm loads	71

1.23 Story drift	73
1.24 Simplified determination of drift	78
1.25 <i>P</i> -delta effects	79
1.26 Building separation	82
1.27 Redundancy factor	84
1.28 Load combinations	95
1.28.1 Strength design loads and load factors	95
1.28.2 Special seismic load combinations for the strength design method	98
1.28.3 Allowable stress design method	102
1.28.4 Special seismic load combinations for the allowable stress design method	104
1.29 Structural elements	105
1.29.1 Connections	105
1.29.2 Lateral design force on walls	107
1.29.3 Lateral design force on parapets	109
1.30 Anchorage of structural walls	111
1.30.1 Anchorage to flexible diaphragms	112
1.30.2 Anchorage to rigid diaphragms	114
1.30.3 Subdiaphragms and continuous ties	118
1.31 Architectural, mechanical, and electrical components supported by structures	120
1.31.1 Design force on mechanical and electrical components	122
1.31.2 Design force on architectural components	124
1.31.3 Wall cladding displacements	125
1.31.4 Wall cladding seismic forces	127
1.32 Rigidity and torsion	130
1.32.1 Shear wall stiffness	131
1.32.2 Rigid diaphragm	133
1.33 Modal analysis procedure	140
1.33.1 Horizontal structural irregularities	141
1.33.2 Vertical structural irregularities	146
1.33.3 Selection of lateral force procedure	150
1.33.4 Modal shapes	152
1.33.5 Modal participation factor	155
1.33.6 Modal base shear	158
1.33.7 Scaling factors	161
1.33.8 Vertical distribution of modal forces	164
References	166
2 DESIGN FOR WIND LOADS	169
2.1 Wind effects	170
2.2 Analysis procedures	172
2.3 General requirements	173
2.3.1 Exposure category	173
2.3.2 Basic wind speed	175
2.3.3 Velocity pressure exposure coefficients for the whole building	178
2.3.4 Topographic effects	178
2.3.5 Directionality factor	180
2.3.6 Building types	180
2.3.7 Gust effect factor	182
2.3.8 Enclosure classifications	182
2.3.9 Ground elevation factor	184
2.4 Analytical directional design method for MWFRS	184
2.4.1 Minimum design wind loads	185
2.4.2 Design wind load cases	186
2.4.3 Wind velocity pressure	188
2.4.4 Internal pressure coefficients and internal pressure	192
2.4.5 External pressure coefficients and external pressures	193

2.5	Simplified directional design method for MWFRS	201
2.5.1	Wall pressure	202
2.5.2	Roof pressure	204
2.6	Analytical envelope design method for MWFRS	208
2.6.1	Design parameters	209
2.6.2	Wind velocity pressure	209
2.6.3	Internal pressure coefficients and internal pressure	210
2.6.4	External pressure coefficients and external pressure	210
2.6.5	Design wind load cases	212
2.7	Simplified envelope design procedure for MWFRS	215
2.7.1	Design procedure	215
2.7.2	Adjustment of net pressures	216
2.7.3	Simplified method applied to the MWFRS	217
2.8	Components and cladding	221
2.8.1	Determination of components and cladding loads	221
2.9	Analytical envelope design method for components and cladding	223
2.9.1	Design parameters	224
2.9.2	Velocity pressure exposure coefficients and velocity pressure	224
2.9.3	Internal pressure coefficients and internal pressure	225
2.9.4	External pressure coefficients and external pressure	227
2.10	Simplified envelope design method for components and cladding	231
2.10.1	Design parameters	232
2.10.2	Adjustment of net pressures	232
2.10.3	Net wind pressure	233
2.11	Analytical directional design method for components and cladding	236
2.11.1	Design parameters	237
2.11.2	Velocity pressure exposure coefficients and velocity pressure	237
2.11.3	Internal pressure coefficients and internal pressure	238
2.11.4	External pressure coefficients and external pressure	239
2.12	Simplified directional design method for components and cladding	241
2.12.1	Design parameters	241
2.12.2	Adjustment of net pressures	242
2.12.3	Net wind pressure	242
	References	247
3	SEISMIC DESIGN OF STEEL STRUCTURES	249
3.1	General design requirements	252
3.2	Material strength and ductility	253
3.3	Capacity design and expected material strength	255
3.4	Demand critical welds	256
3.5	Protected zones	257
3.6	Loads and load combinations	258
3.7	Concentrically braced frames	259
3.8	Ordinary concentrically braced frames	260
3.8.1	Diagonal braces	261
3.8.2	Beams in chevron configuration	262
3.8.3	Columns	264
3.8.4	Diagonal brace connections	264
3.9	Special concentrically braced frames	269
3.9.1	Capacity design basis	270
3.9.2	Diagonal braces	271
3.9.3	Diagonal brace connections	275
3.9.4	Beams in chevron configuration	286
3.9.5	Columns	293
3.10	Eccentrically braced frames	298
3.10.1	Basic requirements	299

3.10.2	Link requirements	299
3.10.3	Link shear strength	300
3.10.4	Link length	302
3.10.5	Link rotation	302
3.10.6	Link stiffeners for I-shaped cross sections	304
3.10.7	Beam requirements	314
3.10.8	Diagonal brace requirements	320
3.10.9	Column requirements	323
3.11	Special moment frames	327
3.11.1	Beam-to-column connections	327
3.11.2	Design principles	331
3.11.3	Strong column-weak beam concept	334
3.11.4	Beam details	340
3.11.5	Column details	341
3.11.6	Panel zone design	343
3.11.7	Continuity plates	345
3.12	Buckling-restrained braced frames	351
3.12.1	Buckling-restrained brace applications	353
3.12.2	Brace requirements	354
3.12.3	Brace connection requirements	360
3.12.4	Beam design requirements	361
3.12.5	Column design requirements	363
3.13	Steel special plate shear walls	365
3.13.1	Web requirements	366
3.13.2	Strip model methodology	369
	References	370
4	SEISMIC DESIGN OF CONCRETE STRUCTURES	373
4.1	Special moment frames	378
4.1.1	Design loads	379
4.1.2	Beam details	381
4.1.3	Beam design	384
4.1.4	Column details	397
4.1.5	Column design	401
4.1.6	Joint design and details	414
4.2	Special structural walls	418
4.2.1	Shear capacity of shear walls	419
4.2.2	Special boundary elements	420
4.2.3	Nonspecial boundary elements	424
4.3	Slender wall design	433
4.3.1	General requirements	434
4.3.2	Required strength	435
4.3.3	Service load deflections	437
4.4	Anchorage in concrete	445
4.4.1	Design requirements for tensile loading	448
4.4.2	Design requirements for shear loading	452
4.4.3	Interaction of tensile and shear forces	455
	References	459
5	SEISMIC DESIGN OF WOOD STRUCTURES	461
5.1	General provisions	462
5.1.1	Building classification	462
5.1.2	Design methodology	462
5.2	Lateral-force-resisting system	463
5.2.1	Lateral load path	463
5.2.2	Connection details	464

5.3	Diaphragms	466
5.3.1	General requirements	466
5.3.2	Diaphragm strength	467
5.3.3	Diaphragm deflection	477
5.3.4	Diaphragm flexibility	480
5.3.5	Subdiaphragm requirements	484
5.3.6	Design of collectors	487
5.4	Shear walls	492
5.4.1	General requirements	492
5.4.2	Shear wall strength	499
5.4.3	Shear wall deflection	508
5.4.4	Design using the segmented shear wall method	512
5.4.5	Design using the perforated shear wall method	517
5.4.6	Design using the force transfer round openings method	524
5.5	Wood structural panels to resist combined shear and uplift from wind	529
5.5.1	Design requirements	529
	References	532
6	SEISMIC DESIGN OF MASONRY STRUCTURES	535
6.1	Reinforced masonry shear walls	538
6.1.1	Reinforcement requirements	540
6.1.2	Design loads	541
6.1.3	Strength reduction factors	542
6.1.4	Shear capacity of a shear wall	543
6.1.5	Axial load capacity of a shear wall	547
6.1.6	Flexural capacity of a shear wall	550
6.1.7	Boundary elements	563
6.1.8	Deflections	565
6.1.9	Sliding shear and shear friction	569
6.2	Walls with out-of-plane loading	571
6.2.1	Strength reduction factors	572
6.2.2	Shear capacity	572
6.2.3	Flexural demand on a slender wall with one layer of centered reinforcement	575
6.2.4	Flexural capacity of a slender wall with one layer of centered reinforcement	578
6.2.5	Deflection under service loads	586
6.3	Headed anchor bolts	587
6.3.1	Headed anchor bolt installation	587
6.3.2	Seismic design requirements	589
6.3.3	Headed anchor bolts in tension	589
6.3.4	Headed anchor bolts in shear	592
	References	597
	INDEX	599